## CLAIM LISTING:

Replace the claims with the following rewritten listing.

## 1. - 15. (Cancelled)

- 16. (Previously Presented) Foil-type pressure sensor comprising:
  - a first carrier foil and a second carrier foil arranged at a certain distance from each other by means of a spacer, said spacer comprising at least one recess defining an active area of the pressure sensor, and
  - at least two electrodes and a layer of pressure sensitive material arranged in the active area of the pressure sensor between said first and second carrier foils in such a way that, in response to a pressure acting on the active area of the pressure sensor, the first and second carrier foils are pressed together against a reaction force of elastic carrier foils and an electrical contact is established between the at least two electrodes via said layer of pressure sensitive material,
  - wherein at least one of said first and second carrier foils comprises a multi-layered configuration with at least two layers of different materials having different elastic properties so that the elastic properties of said at least one carrier foil are a combination of the individual elastic properties of said at least two layers.
- 17. (Previously Presented) Foil-type pressure sensor according to claim 16, wherein each of said first and said second carrier foils comprises a multi-layered configuration with at least two layers of different materials.
- 18. (Previously Presented) Foil-type pressure sensor according to claim 17, wherein the number of layers in the multi-layered configurations of said first and second carrier foils are different.
- (Previously Presented) Foil-type pressure sensor according to claim 17, wherein the layers of the multi-layered configuration of said first carrier foil are made of

- materials which are different from the materials of the layers of the multi-layered configuration of said second carrier foil.
- 20. (Previously Presented) Foil-type pressure sensor according to claim 16, wherein said layers of said multi-layered carrier foil comprise materials having different mechanical properties.
- 21. (Previously Presented) Foil-type pressure sensor according to claim 20, wherein said layers of said multi-layered carrier foil comprise materials having a different modulus of elasticity.
- (Previously Presented) Foil-type pressure sensor according to claim 16, wherein
  one of said layers of said multi-layered carrier foil comprises a dielectric resin
  layer.
- (Previously Presented) Foil-type pressure sensor according to claim 16, wherein one of said layers of said multi-layered carrier foil comprises a metal foil.
- 24. (Previously Presented) Foil-type pressure sensor according to claim 16, wherein the multi-layered carrier foil comprises two layers of different metals.
- 25. (Previously Presented) Foil-type pressure sensor according to claim 16, wherein one of said layers of said multi-layered carrier foil comprises a material with a high chemical resistance.
- 26. (Previously Presented) Foil-type pressure sensor according to claim 16, wherein one of said layers of said multi-layered carrier foil comprises a flame-retarding material.

- 27. (Previously Presented) Foil-type pressure sensor according to claim 16, wherein the different layers of said multi-layered carrier foil have a different thickness.
- 28. (Previously Presented) Foil-type pressure sensor according to claim 16, wherein layers of said multi-layered carrier foil are extruded one onto the other.
- 29. (Previously Presented) Foil-type pressure sensor according to claim 16, wherein layers of said multi-layered carrier foil are laminated together.
- 30. (Previously Presented) Foil-type pressure sensor according to claim 16, wherein layers of said multi-layered carrier foil are deposited on top of one another.